



FIG. 1






FIG. 2






FIG. 3




FIG. 4






FIG. 5




FIG. 6






FIG. 7




FIG. 8






FIG. 9

132d

132d1

132d2

132d3

DOMAIN NAME (NETWORK ADDRESS)	DESTINATION ROUTER	NETMASK
xxx.yyy.1.0	xxx.yyy.2.1	255.255.255.0
xxx.yyy.2.0	xxx.yyy.2.1	255.255.255.0
xxx.yyy.3.0	xxx.yyy.2.1	255.255.255.0
xxx.yyy.4.0	xxx.yyy.2.1	255.255.255.0
xxx.yyy.11.0	xxx.yyy.2.1	255.255.255.0
⋮	⋮	⋮

FIG. 10

132p

132p1

132p2

132p3

DOMAIN NAME	PRINTER NAME	IP ADDRESS
xxx.yyy.1.0	DIAMOND	xxx.yyy.1.100
xxx.yyy.2.0	EMERALD	xxx.yyy.2.10
xxx.yyy.2.0	CRYSTAL	xxx.yyy.2.22
xxx.yyy.3.0		
xxx.yyy.4.0		
xxx.yyy.11.0		
⋮	⋮	⋮



FIG. 11







FIG. 12







Replacement Sheets  
U.S. Application No.: 09/544,544  
Inventor: Atsushi UCHINO  
Allowed: August 8, 2005  
Group Art Unit: 2665 / Conf. No. 7510  
Sheet 9 of 12

FIG. 13






FIG. 14






FIG. 15






FIG. 16

